

Eaton 229490

Catalog Number: 229490

Eaton Moeller® series M22 Potentiometer, Classical, M22, 22.5 mm, R 4.7 kΩ, P 0.5 W, Bezel: titanium

General specifications



Photo is representative

Product Name
Eaton Moeller® series M22
Potentiometer

Catalog Number

229490

EAN

4015082294908

Product Length/Depth

70 mm

Product Height

29 mm

Product Width

29 mm

Product Weight

0.034 kg

Compliances

CE Marked

Certifications

UL 508

EN 60947-5

IEC 60947-5

CSA Std. C22.2 No. 94-91

CSA Std. C22.2 No. 14-05

CSA Class No.: 3211-03

IEC/EN 60947-5

CSA

IEC/EN 60947

CSA-C22.2 No. 94-91

CSA-C22.2 No. 14-05

CE

UL Category Control No.: NKCR

CSA File No.: 012528

UL File No.: E29184

VDE 0660

UL

Resources

Brochures

Catalogues

Flip catalog - Product Range Catalog - Command and indication

[eaton-rmq-titan-brochure-br047004en-en-us.pdf](#)

[eaton-pushbuttons-signal-towers-sensors-assortment-overview-catalog-ca047003en-en-us.pdf](#)

Certification reports

0000SPC-183

0000SPC-179

Declarations of conformity

[DA-DC-00004135.pdf](#)

[DA-DC-00004157.pdf](#)

Drawings

116X217

[eaton-operating-potentiometer-m22-dimensions-003.eps](#)

Drawings

0000SPC-180

[eaton-general-m22-symbol.eps](#)

[eaton-general-m22-standards.eps](#)

[eaton-general-approval-m22-symbol.eps](#)

eCAD model

[ETN.229490.edz](#)

[DA-CE-ETN.M22-R4K7](#)

Installation instructions

[IL047030ZU](#)

[IL04716002Z](#)

Installation videos

[RMQ Flat Design](#)

mCAD model

[eaton-cadenas-path-temp-potentiometer.3db](#)

[eaton-cadenas-front_view-potentiometer_front.pra](#)

[DA-CS-potentiometer](#)

[DA-CD-potentiometer](#)

[eaton-cadenas-side_view-potentiometer_side.pra](#)

Multimedia

[easyE4 SmartWire-DT module with Remote Touch Display and RMQ](#)

multi color indicator

MCI MultiColor Light Indicator RMQ compact solution

MCI Multicolor Light Indicator M22 with SmartWire-DT

RMQ small E-Stop emergency-stop button

Sales notes

[eaton-rmq-mci-multi-color-light-indicator-flyer-fl047005en-en-us.pdf](#)

[eaton-rmq-flat-enclosure-flyer-fl047003en-en-us.pdf](#)

[eaton-rmq-small-e-stop-flyer-fl047006en-en-us.pdf](#)

[eaton-control-circuit-devices-rmq-titan-fl144090en-en-us.pdf](#)

System overview

Pilot devices - selection aid

Wiring diagrams

116S107

[eaton-operating-potentiometer-m30-wiring-diagram.eps](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)